

ANALYTICAL LAB RESULTS

9495 Candida Street - San Diego, CA 92126

White Labs - Education Dept. 9495 Candida Street San Diego, CA 92126 United States

Sample ID: Received: Completed: 59195 01/08/2021 01/13/2021

Sample Type: Beer Sample Name: WLP066

Testing Date: 01/11/2021	12:24 PM			
Test	Method	Results	Units	Comments
Alcohol by Volume (20°C)	ASBC Beer-4G	6.66	Percent	
Alcohol by Weight	ASBC Beer-4G	5.22	Percent	
Apparent Extract	ASBC Beer-4G	2.42	Plato	
Apparent Attenuation	ASBC Beer-4G	83.56	Percent	
Real Extract	ASBC Beer-4G	4.79	Plato	
Real Degree Attenuation	ASBC Beer-4G	69.25	Percent	
Specific Gravity	ASBC Beer-4G	1.009	20°C	
Original Extract	ASBC Beer-4G	14.75	Plato	
Calories	ASBC Beer-4G	196.02	per 12 fl. oz.	
Color	ASBC Beer-10A	7.61	SRM	
рН	ASBC Beer-9	4.39		
1-Propanol	ASBC Beer-29 (Modified)	39.26	ppm	
2,3 Pentanedione (As-Is)	ASBC Beer-25E	<15	ppb	
Acetaldehyde	ASBC Beer-29 (Modified)	142.89	ppm	
Acetone	ASBC Beer-29 (Modified)	0.62	ppm	
Amyl Alcohol	ASBC Beer-29 (Modified)	161.77	ppm	
Diacetyl (As-Is)	ASBC Beer-25E	25.10	ppb	
Ethyl Acetate	ASBC Beer-29 (Modified)	24.49	ppm	
Ethyl Butyrate	ASBC Beer-29 (Modified)	0.13	ppm	
Ethyl Hexanoate	ASBC Beer-29 (Modified)	<0.1	ppm	
Ethyl Octanoate	ASBC Beer-29 (Modified)	0.33	ppm	
Isoamyl Acetate	ASBC Beer-29 (Modified)	0.96	ppm	
Isobutanol	ASBC Beer-29 (Modified)	102.87	ppm	
Isobutyl Acetate	ASBC Beer-29 (Modified)	0.17	ppm	
Methanol	ASBC Beer-29 (Modified)	2.63	ppm	
Diacetyl (Total)	ASBC Beer-25E	35.47	ppb www	w.whitelabs.co

Reviewed By:

9495 Candida St. San Diego, CA 92126 USA